



Fall Protection
for Tools

Everything
you need to

stop
the
drop.

3M™ DBI-SALA®
Fall Protection for Tools

Australia/New Zealand Catalogue



Request a Free Drop Prevention Awareness Package.

Drop Prevention Awareness Poster

The Drop Prevention Awareness Package comes with a 420 mm x 594 mm Stop The Drop poster.



Common Tool Attachment Points Poster

The Drop Prevention Awareness Package comes with a 594 mm x 840 mm reference poster of common attachment points and their use.



Hard Hat Stickers

Make your safety awareness efforts stick with these Stop The Drop Hard Hat Stickers. Included with the package are stickers that fit on virtually every hard hat.



Fall Protection for Tools Pocket Reference Guide

Learn how to make virtually any tool tether ready with the "Pocket Reference Guide".



▶ Get the package: visit 3M.com.au/FallProtection

Fall Protection for Tools Videos

To see the full impact of damage that falling objects can inflict or to view the range of Fall Protection for Tools product videos scan the QR code, visit 3M.com.au/FallProtection or our YouTube channel: FallProtectionTV



The science of fighting gravity.

Protecting workers takes more than just keeping them from falling. Their equipment also needs to be kept safe at height.

That's why for over 10 years, we've been pioneering an innovative line of products and solutions to prevent dropped tools and equipment. From construction sites to oil rigs, we help make work environments safer and more productive by protecting workers from hazards that can result in personal injury, equipment damage and tool loss.

Certified and tested.

3M™ DBI-SALA® verifies fall protection for tools product performance through testing in an ISO 17025 accredited fall protection testing laboratory. The facility can simulate heat, cold, moisture, corrosion and abrasion – the challenges you face every day.

As a part of 3M™ DBI-SALA® product development and quality assurance processes, static or dynamic load tests are conducted to determine the safe working limits based on the solution's intended use.



Table of contents

Attachment Points.....	4
Tool Lanyards	10
Tool Holsters.....	14
Tool Belts	19
Tool Pouches	20
Spill Control Buckets.....	22
Wristbands.....	26

Call today

1800 245 002 (AUS)

0800 212 505 (NZ)

3M.com.au/FallProtection | anzfallprotectionsales@mmm.com

3M™ DBI-SALA® Attachment Points

D-Rings

Video available

Refer to QR code on page 2 or visit our YouTube channel: FallProtectionTV

- D-Rings can be attached to virtually any tool under 2.3 kg or 0.9 kg using our Quick Wrap Tape (see page 5).
- Creates an instant attachment point in less than a minute.
- Dual D-Rings allow for 100% Tool Tie-Off during tool transfers.



1500003



1500005



1500007



1500001

Part #	Description	Load Rating	Quantity	Non-Conductive
1500003	D-Ring 13 X 57 mm	0.9 kg	10 Pack	No
1500004	D-Ring 13 X 57 mm	0.9 kg	100 Pack	No
1500005	D-Ring 13 X 57 mm	0.9 kg	10 Pack	Yes
1500006	D-Ring 13 X 57 mm	0.9 kg	100 Pack	Yes
1500007	D-Ring 25 X 89 mm	2.3 kg	10 Pack	No
1500008	D-Ring 25 X 89 mm	2.3 kg	50 Pack	No
1500001	Dual D-Ring Small	0.9 .kg	10 Pack	No
1500002	Dual D-Ring Small	0.9 .kg	100 Pack	No



Quick Wrap Tape

Video available

Refer to QR code on page 2 or visit our YouTube channel: FallProtectionTV

- Heavy duty 25 mm wide tape conforms to the shape of whatever it is applied to.
- Used with our D-Rings (see page 4) and Tool Cinch Attachments (see page 6) to create instant tethering points on virtually any tool.
- Made from a self-fusing silicone rubber that leaves no adhesive or residue behind.
- Inner fibreglass webbing increases the strength of the tape and makes the tape resistant to sharp objects.

Part #	Description	Quantity	Length
1500044	Quick Wrap Yellow	1	2.7 m
1500045	Quick Wrap Yellow	10	2.7 m
1500046	Quick Wrap Yellow	240	2.7 m
1500035	Quick Wrap Blue	1	2.7 m
1500036	Quick Wrap Blue	10	2.7 m
1500037	Quick Wrap Blue	240	2.7 m
1500038	Quick Wrap Blue, 2 x Length	1	5.5 m
1500039	Quick Wrap Blue, 2 x Length	10	5.5 m
1500040	Quick Wrap Blue, 2 x Length	120	5.5 m



1500035



1500038



1500044






3M™ DBI-SALA® Attachment Points

Tool Cinch Attachments


Video available

Refer to QR code on page 2 or visit our YouTube channel: FallProtectionTV

- Tool Cinch Attachments feature a cinch design that allows users to quickly secure equipment up to 15.9 kg or 36.3 kg.
- Stabilisation Wings can be used to keep Tool Cinch Attachments in place using our Quick Wrap Tape (see page 5).



Part #	Description	Load Rating	Common Tools	Quantity
1500015	V-Ring attachment point, 2 stabilisation wings	15.9 kg	Pinch Bars, Sledge Hammers, Slugging Wrenches, Clamps.	1
1500016	V-Ring attachment point, 2 stabilisation wings	15.9 kg	Pinch Bars, Sledge Hammers, Slugging Wrenches, Clamps.	10
1500013	V-Ring attachment point, stabilisation wing	15.9 kg	Impact Wrenches, Band Saws and Drills, etc.	1
1500014	V-Ring attachment point, stabilisation wing	15.9 kg	Impact Wrenches, Band Saws and Drills, etc.	10
1500011	V-Ring attachment point	15.9 kg	Closed handled tools without triggers such as some Magnetic Drills and Wrenches	1
1500012	V-Ring attachment point	15.9 kg	Closed handled tools without triggers such as some Magnetic Drills and Wrenches	10
1500017	V-Ring attachment point, 2 stabilisation wings	36.3 kg	Rivet Busters, Slugging Wrenches, Super Wrenches.	1
1500018	V-Ring attachment point, 2 stabilisation wings	36.3 kg	Rivet Busters, Slugging Wrenches, Super Wrenches.	10



Heat Shrink

Video available

Refer to QR code on page 2 or visit our YouTube channel: FallProtectionTV

- Protect your investment and connection point! Heat Shrink protects our Quick Wrap Tape (see page 5) from abrasives and harsh work environments.
- Heat Shrink Links shrink 200% in size when heat is applied.

Part #	Description	Quantity
1500019	Heat Shrink 19 mm X 45 mm	25
1500020	Heat Shrink 25 mm X 45 mm	25
1500021	Heat Shrink 38 mm X 51 mm	25
1500022	Heat Shrink 51 mm x 102 mm	10
1500023	Heat Shrink 76 mm x 102 mm	10




D-Ring Cord

Video available

Refer to QR code on page 2 or visit our YouTube channel: FallProtectionTV

- Easily cinches to tools weighing up to 2.3 kg.
- Simply pass the loop end of a D-Ring Cord through a pre-drilled hole or closed handle to create an instant attachment point.
- Extremely durable, and reusable.

Part #	Description	Load Rating	Quantity
1500009	D-Ring Cord	2.3kg	10



3M™ DBI-SALA® Attachment Points

Quick Spins

Video available

Refer to QR code on page 2 or visit our YouTube channel: FallProtectionTV

- Simply slides onto the handle of a tool creating an instant attachment point in seconds.
- Swivel spin top makes Quick Spins tangle resistant.
- Reusable and suitable for non-conductive use.



Patented

Part #	Description	Load Rating	Quantity
1500027	Small, 15 mm diameter	0.5 kg	10
1500028	Medium, 20 mm diameter	0.5 kg	10
1500029	Large, 25 mm diameter	0.5 kg	10
1500030	Extra Large, 31 mm diameter	0.5 kg	10
1500031	Pen Holder, 8 mm diameter	-	10
1500032	Pen Holder with Coil, 8 mm diameter	-	10
1500033	Permanent Marker Holder, 13 mm	-	10
1500034	Permanent Marker Holder with Coil, 13 mm	-	10



Micro D-Ring

- Designed to allow for easy tethering of small devices such as mobile phones, cameras, and radios.
- Adheres to most surfaces creating an attachment point in a matter of seconds.
- Load rated for 0.9 kg when used with the 1500060 Clip2Loop Coil Tether (see page 11).
- Uses 3M very high bond adhesive.

Part #	Description	Quantity
1500010	Micro D-Ring	10



Quick Rings

Video available

Refer to QR code on page 2 or visit our
YouTube channel: FallProtectionTV

- Quick Rings are an economical solution for tethering tools quickly.
- Allows many tools up to 0.9 kg to be made tether ready.
- Ring pliers can be used to make Quick Ring installation easier.



1500026



1500025



1500024

Part #	Description	Load Rating	Quantity
1500024	Quick Ring, Small, 19 mm diameter	0.9 kg	25
1500025	Quick Ring, Medium, 25 mm diameter	0.9 kg	25
1500026	Quick Ring, Large, 38 mm diameter	0.9 kg	25



3M™ DBI-SALA® Tool Lanyards

Bungee Tethers



Part #	Description	Load Rating	Length (Relaxed)	Length (Stretched)
1500047	Hook2Loop Bungee Tether	4.5 kg	0.8 m	1.2 m
1500048	Hook2Loop Bungee Tether (10 Pack)	4.5 kg	0.8 m	1.2 m
1500049	Medium Duty Hook2Loop Bungee Tether	15.9 kg	0.8 m	1.3 m

Engineered to last.

Built to be more durable and last longer than the competition, our Bungee Tethers are third-party load rated, and thoughtfully designed to prevent dropped objects.



Self-locking karabiner

The Hook2Loop Bungee Tether features a self-locking karabiner that prevents accidental opens and automatically closes.



Competitor non-locking karabiner

Non-locking karabiners can be disconnected with a simple twist, potentially resulting in an accidental drop.



Competitor barrel locks


Many competitive bungee-tether bottoms often utilise a barrel lock. These barrel locks can pose risks as they allow for improper tethering of tools.

Coil Tethers

An industry-first innovation.


Easy to clean and out of the way - exactly what a tether should be. The lightweight vinyl construction and ultra-compact design of our Coil Tethers makes them an ideal alternative to classic bungee tethers. Since we first introduced them to the marketplace, we've continued to refine and improve our line of coil lanyards with feedback from actual workers in the field.

1500063 Hook2Hook Coil Tether



1500067 Trigger2Trigger Coil Tether


■ Ideal for use from Wristband.



1500059 Clip2Clip Coil Tether

■ Non-conductive.


■ Ideal for use from Wristband.



1500065 Hook2Quick Ring Coil Tether with Tail

■ Use with hammers and other long-handled tools.


■ Available as a combo with our Hammer Holster (see page 17).



1500060 Clip2Loop Coil Tether

■ Secure cameras, cell phones, radios and other small objects.

■ Works well with our Micro D-ring (see page 8).



1500061 Hard Hat Tether

■ Easily attaches to any hard hat.



Part #	Description	Load Rating	Length (Relaxed)	Length (Stretched)	Quantity
1500063	Hook2Hook Coil Tether	2.3 kg	0.1 m	1.6 m	1
1500064	Hook2Hook Coil Tether	2.3 kg	0.1 m	1.6 m	10
1500067	Trigger2Trigger Coil Tether	2.3 kg	0.05 m	0.6 m	1
1500068	Trigger2Trigger Coil Tether	2.3 kg	0.05 m	0.6 m	10
1500059	Clip2Clip Coil Tether	0.9 kg	0.05 m	0.6 m	10
1500065	Hook2Quick Ring Coil Tether with Tail	0.9 kg	0.08 m	1.6 m	1
1500066	Hook2Quick Ring Coil Tether with Tail	0.9 kg	0.08 m	1.6 m	10
1500060	Clip2Loop Coil Tether	0.9 kg	0.2 m	0.9 m	10
1500061	Hard Hat Tether	0.9 kg	0.1 m	0.9 m	10
1500062	Hard Hat Tether	0.9 kg	0.1 m	0.9 m	100

3M™ DBI-SALA® Tool Lanyards

Retractor

- Compatible with a number of our Tool Holsters (see page 14), Wristbands (see page 26), and Tool Pouches (see page 21).
- Inner 1.32 m steel coil automatically retracts when not in use.

Part #	Description	Load Rating	Length
1500069	Steel Cable Retractor	0.7 kg	1.3 m



Shown with 1500098 Tape Measure Retractor Holster and 1500099 Tape Measure Sleeve



Trigger2Trigger Lanyards

- Thumb-controlled trigger snaps on both sides of these lanyards are easy to operate, even while wearing gloves.
- Trigger snaps swivel making them tangle resistant.

Part #	Load Rating	Length	Qty
1500053	4.5 kg	0.3 m	1
1500054	4.5 kg	0.3 m	10
1500055	4.5 kg	0.6 m	1
1500056	4.5 kg	0.6 m	10
1500057	4.5 kg	0.9 m	1
1500058	4.5 kg	0.9 m	10


Top to bottom: 1500057, 1500055, 1500053



Medium Duty Hook2Loop Lanyard

- Features an aluminium double action autolock karabiner to prevent accidental opens.
- Works well with the 1500011, 1500013, and 1500015 medium-duty tool cinches (see page 6).

Part #	Load Rating	Length
1500050	15.9 kg	1.8 m



Heavy Duty Hook2loop Lanyard

- Features an aluminium double action autolock karabiner to prevent accidental opens.
- Works well with the 1500017 heavy-duty tool cinch (see page 6).

Part #	Load Rating	Length
1500051	36.3 kg	1.8 m



Heavy Duty Hook2Rail Lanyard

- Features an aluminium double action autolock karabiner to prevent accidental opens.
- Large double action autolock rail karabiner.
- Works well with the 1500017 heavy-duty tool cinch (see page 6).

Part #	Load Rating	Length
1500052	36.3 kg	1.8 m



3M™ DBI-SALA® Tool Holsters

Smart Holsters

Your tools, at the ready.

Safer. Easier. It's not often that your job can be both, but 3M™ DBI-SALA® Smart Holsters are engineered for exactly that. These next generation tool pouches feature intelligent productivity features that are designed to keep your tool right where you want it at all times.

Beacon Hi-Visibility Reflectors

Products equipped with our high-visibility reflectors are always easy to identify and locate, even when left in dark spaces. The highly reflective material stitched into the front and back of the holster makes it easily detectable with a flashlight even in low-light conditions.



The faster, smarter way to holster

Our Quick-Mag Technology speeds up your workflow and reduces how often your tools need to be holstered. This powerful magnetic tool staging system allows tools to simply stick to the holster, ensuring the tool you need is always at the ready.



Bottom Drain Vent

You're at your best when your tools are too. The integrated drain vent in our Smart Holsters protects your tools from rusting and your holster from dry rot. Even in rainy weather conditions, the drain vent helps keep the holster dry by allowing water to pass through at all times.



Single and Dual Tool Holsters



* Hook2Loop Bungee Tether Sold Separately

- Single and Dual Tool Holsters are equipped with D-Rings that are load rated for 2.3 kg.
- Several variants of these holsters come with Retractors (indicated below, *learn more on page 12*). Retractors are load rated for 0.7 kg.
- Single and Dual Tool Holsters feature Beacon High-Visibility Reflectors and the Quick-Mag Magnetic Tool Staging System.
- A bottom drain vent allows the holster to work even in wet conditions.

Part #	Description	Retractors Included	Attachment
1500103	Single Tool Holster	None	Harness
1500104	Single Tool Holster with Retractor	1x	Harness
1500101	Single Tool Holster	None	Belt
1500102	Single Tool Holster with Retractor	1x	Belt
1500105	Extra-Deep Single Tool Holster	None	Belt
1500108	Dual Tool Holster	None	Harness
1500109	Dual Tool Holster with Retractors	2x	Harness
1500106	Dual Tool Holster	None	Belt
1500107	Dual Tool Holster with Retractors	2x	Belt

3M™ DBI-SALA® Tool Holsters

Tape Measure Holsters

- Designed to be used with virtually any tape measure, or the optional tape measure sleeve, allowing tape measures to be safely tethered and holstered.
- Includes a retractor (see page 12).
- The tape measure sleeve conforms to the size of nearly every tape measure.
- Features Beacon High-Visibility Reflectors.

Part #	Description
1500098	Tape Measure Retractor Holster
1500099	Tape Measure Sleeve
1500100	Tape Measure Retractor Holster and Sleeve Combo



Back of tape measure sleeve



1500098

Patent Pending

1500099

Patent Pending

Pouch Holster with Retractor

- Quickly holster tape measures and other small tools
- Includes a retractor (see page 12).

Part #	Description
1500095	Pouch Holster with Retractor



Patent Pending

Scaffold Wrench Holster with Retractor

- Quickly holster scaffold wrenches while working at height.
- Features Beacon High-Visibility Reflectors.



Back of holster features pouch for Safety Retractor (see page 12). Rear feed system allows retractor to tie off a scaffold wrench while staying out of the way.



1500096

Patent Pending




1500097

Part #	Description
1500096	Scaffold Wrench Holster with Retractor
1500097	Scaffold Wrench Holster with Retractor and Hook2Loop Bungee Tether

Hammer Holster

- The Hammer Holster allows for the safe holstering of virtually any hammer under 2.3 kg.
- D-Ring on the side of the holster is load rated for 2.3 kg.
- The 1500094 combo comes with a 1500065 Hook2Quick Ring Coil Tether with Tail (see page 11) that is specially designed for use with the Hammer Holster. The Hook2QuickRing Coil Tether is load rated for 0.9 kg.
- During Transport, the Hammer Holster can be locked shut with a hook and loop strap. While being used, the strap can be locked up allowing for easy hammer access and holstering.

Part #	Description
1500093	Hammer Holster
1500094	Hammer Holster & Hook2Quick Ring Coil Tether



Top: Hammer Holster is locked, preventing hammer from slipping out.

Bottom: Hammer Holster is unlocked, making it suitable for active use.

Tool Holsters

Adjustable Radio Holster

- Holster adjusts to fit virtually any handheld radio, mobile phone, and many other devices.
- Can be worn from Belt or Harness.
- A Micro D-Ring (see page 8) can be placed on the back of a device, and can then be tethered to a D-Ring on the front of the Adjustable Radio Holster using a 1500060 Clip2Loop Coil Tether (see page 11).

Part #	Description
1500088	Adjustable Radio Holster
1500089	Adjustable Radio Holster, Clip2Loop Coil Tether and Micro D-Ring



Can be worn from a belt or harness.

Spray Can/Bottle Holster

- Flexible neoprene holster allows for quick tethering of bottles and spray cans.
- 1500092 comes with 1500059 Clip2Clip Coil Tether (see page 11).

Part #	Description
1500091	Spray Can / Bottle Holster
1500092	Spray Can / Bottle Holster and Clip2Clip Coil Tether



3M™ DBI-SALA® Tool Holsters

Battery Holster/Sleeve

- Unique sleeve design conforms to the size of virtually any drill battery.
- Sleeve is cinched to the drill, allowing the drill to be tethered off while being used at height.

Part #	Description	Load Rating
1500090	Drill Battery Holster/Sleeve	4.5 kg



3M™ DBI SALA® Tool Belts

Comfort Tool Belt

- Extra padding provides superior comfort compared to many other tool belts.
- Modular approach allows user to customise their own holster and pouch system.

Part #	Description	Waist Size
1500110	Comfort Tool Belt, small - medium	71 cm - 91 cm
1500111	Comfort Tool Belt, large - extra large	91 cm - 112 cm
1500112	Comfort Tool Belt, 2 extra large - 3 extra large	112 cm - 132 cm



Utility Tool Belt

- Padded Cordura provides for durability and comfort.

Part #	Description	Waist Size
1500113	Utility Tool Belt, small - large	71 cm - 117 cm
1500114	Utility Tool Belt, extra large - 3 extra large	102 cm - 137 cm



Belt Loops

- 1500115 is used for tying off tools from a belt, while the 1500117 is used for staging tools.

Part #	Description	Load Rating	Quantity
1500115	Belt Loop with D-Ring	2.3 kg	1
1500116	Belt Loop with D-Ring	2.3 kg	10
1500117	Belt Loop with Trigger	2.3 kg	1
1500118	Belt Loop with Trigger	2.3 kg	10



3M™ DBI-SALA® Tool Pouches

Small Parts Pouches



- Innovative self-closure system that traps objects inside, the pouch makes it nearly impossible for objects to fall out once placed in the bag
- Easy to retrieve objects since no opening or closing is necessary.
- Compatible with most tool belts.

Part #	Description
1500122	Small Parts Pouch, vinyl yellow
1500119	Small Parts Pouch, canvas black
1500120	Small Parts Pouch, canvas camo
1500121	Small Parts Pouch, canvas orange
1500123	Small Parts Pouch, extra deep canvas black



Belt loops located on back of pouch.



The Small Parts Pouch is designed for small parts such as nuts, bolts, screws and nails.



Items are placed inside the pouch, at which point they are immediately secured by the self-closure system.



Even when the pouch is flipped vertically, the pouch traps objects inside, making it nearly impossible for them to fall out.

Utility Pouches

- Features two outside pockets for storing spud wrenches, and two inner pockets for storing additional tools.
- Tools can be tethered to D-Rings on the inside and outside of the pouch.
- The 1500130 Utility Pouch features a 2 way zipper closure system that provides easy access from either end and complete closure to prevent the inside components from falling out.
- The 1500132 Utility Pouch features an adjustable side-release closure system that helps prevent objects from falling out when the pouch isn't being used.



1500130



1500132

Part #	Description
1500130	Utility Pouch with Zipper Closure
1500132	Utility Pouch

Inspection Pouch

- Designed for the safe transport and use of most multimeters, air monitors, and other portable testing devices.
- A unique, patent pending adjustable opening can be used to create a hands-free workstation off the hip or chest.
- Can be worn off a belt, or over the shoulder using the included shoulder strap.



Patent Pending



Hands-free workstation from belt or shoulder.

Part #	Description
1500131	Meter Pouch

Tool Pouches

- Constructed from a heavy-duty canvas with an inner lining to help prevent punctures.
- Multiple inner pockets accommodate a number of tools while built in D-Ring make tethering tools incredibly easy.
- Available in standard and Extra-Deep variations.
- The standard sized pouch uses a hook and loop closure system that can be locked open during use.
- The extra-deep tool pouch features a magnetic closure system as well as a side-release buckle.



1500125



1500128

Part #	Description	Width	Height
1500124	Standard Tool Pouch	191 mm	279 mm
1500125	Standard Tool Pouch with 2 Retractors	191 mm	279 mm
1500126	Standard Tool Pouch with 2 Triggers	191 mm	279 mm
1500127	Extra-deep Tool Pouch	222 mm	330 mm
1500128	Extra-deep Tool Pouch with 2 Retractors	222 mm	330 mm
1500129	Extra-deep Tool Pouch with 2 Triggers	222 mm	330 mm

3M™ DBI-SALA® Spill Control Buckets

Safe Buckets

With an integrated closure system that helps prevent dropped objects, our Safe Buckets are designed to be the perfect companion for workers at height carrying heavy loads.

Closure systems

Every Safe Bucket features either a unique, patent-pending drawstring or a locking hook and loop closure system that acts as an extra layer of spill-protection during transport and lifting. Colourful indicator tabs provide quick visual cues to indicate whether the bucket is in lockdown mode or easy-access mode.

Video available

Refer to QR code on page 2 or visit our YouTube channel: FallProtectionTV



Built-in connection points

The Safe Bucket was engineered for use with tools at height, and includes multiple connection points for tethering.

High quality canvas and vinyl

Safe Buckets are available in both heavy-duty canvas and vinyl variants that are load rated for 45.4 kg and 113.4 kg respectively.



1500134



1500140





Puncture resistance

Where you work, durability is non-negotiable. That's why every Safe Bucket features hard composite plating at the bottom to protect it from accidental punctures. A leather sleeve also covers the inserts, protecting them from the elements and harsh work environments.

Integrated karabiner and hoisting strap

Instead of rope which is susceptible to fraying, a heavy-duty hoisting/shoulder strap is built into every Safe Bucket. Each bucket is also equipped with a high-quality and lightweight aluminium double action autolock karabiner load rated for 30 kN. There is no need to worry about a knot failing, or a non-locking karabiner which may slip off a connection point.



Part #	Description	Load Rating	Closure System	Body Material	Height/Diameter	Capacity
1500134	Standard Safe Bucket	45.4 kg	Hook and Loop	Canvas	380 mm / 318 mm	30 L
1500133	Standard Safe Bucket	45.4 kg	Drawstring	Canvas	380 mm / 318 mm	30 L
1500140	Standard Safe Bucket	113.4 kg	Hook and Loop	Vinyl	380 mm / 318 mm	30 L
1500139	Standard Safe Bucket	113.4 kg	Drawstring	Vinyl	380 mm / 318 mm	30 L

3M™ DBI-SALA® Spill Control Buckets

Hard Body Safe Bucket Insert

- Converts a standard soft body Safe Bucket into a Hard Body Safe Bucket.
- Our reusable hard-body Safe Bucket insert keeps your Safe Bucket standing upright, making it easier to stage tools and stay productive.
- Integrated inner pockets allow tools to be holstered and organised quickly.

Part #	Description
1500141	Hard Body Safe Bucket Insert



5 Gallon Safe Bucket

- Used to transport standard 20 litre buckets.
- 20 litre plastic buckets clip into the Safe Bucket with a unique hook system.
- When not being used, the Safe Bucket can be flattened for easier storage.
- Unique patent pending locking hook and loop closure system helps ensure that there are no accidental spills during lifting and transportation.

Part #	Description	Load Rating
1500135	5 Gallon Safe Bucket	45 kg



Plastic bucket not included.

Long Safe Buckets

- Transport scaffolding and longer tools safely and easily with our Long Safe Buckets.
- More effective than hand-to-hand transportation or using rope with hitch knots.
- Hook and loop top closure system keeps poles secure during lift.
- Equipped with a double twist-action locking karabiner for maximum safety.

Part #	Description	Length	Closure System	Load Rating
1500136	Long Safe Bucket, standard	1.2 m	Hook and Loop	45.4 kg
1500137	Long Safe Bucket, medium	1.8 m	Hook and Loop	45.4 kg
1500138	Long Safe Bucket, tall	3.1 m	Hook and Loop	45.4 kg

1500136



3M™ DBI-SALA® Wristbands

Pullaway Wristbands

■ Pullaway wristbands are designed for those who work around rotating or moving equipment. They feature an elastic strap to conform to the wearer's wrist size automatically and come in standard and slim variants.

Part #	Size	Load Rating	Qty
1500070	Small	2.3 kg	1
1500071	Small	2.3 kg	10
1500072	Medium	2.3 kg	1
1500073	Medium	2.3 kg	10
1500074	Large	2.3 kg	1
1500075	Large	2.3 kg	10
1500076	Small (Slim)	2.3 kg	1
1500077	Small (Slim)	2.3 kg	10
1500078	Medium (Slim)	2.3 kg	1
1500079	Medium (Slim)	2.3 kg	10
1500080	Large (Slim)	2.3 kg	1
1500081	Large (Slim)	2.3 kg	10



Pullaway Wristband



Slim Pullaway Wristband

Adjustable Wristbands



Adjustable Wristband

Our adjustable wristband uses a hook and loop system to adjust to any wrist size. An elastic band helps ensure a comfortable fit.



Adjustable Wristband with Cord

Adjusts to any wrist size using a hook and loop system. A built in cord is used to quickly attach and stage tools directly to the wristband.



Adjustable Wristband with Retractor

Adjusts to any wrist size. A built-in retractor with an attached trigger can be used to quickly work with many hand tools.

Part #	Description	Load Rating	Qty
1500082	Adjustable Wristband	2.3 kg	1
1500083	Adjustable Wristband	2.3 kg	10
1500084	Adjustable Wristband with Cord	2.3 kg	1
1500085	Adjustable Wristband with Cord	2.3 kg	10
1500086	Adjustable Wristband with Retractor	0.7 kg	1
1500087	Adjustable Wristband with Retractor	0.7 kg	10

The sky's the limit.

**How do you build a legacy? The same way we build all our products:
with confidence — from the ground up.**

For over 75 years, at-height workers around the world have trusted 3M™ DBI-SALA® to help them get the job done confidently and get home safely. Our first-to-market innovations and high-performance solutions have earned us a reputation as the experts in fall protection and rescue.

Today, as part of the 3M Personal Safety Division, we're better equipped than ever to continue investing in technology and products that enhance worker safety, productivity and comfort. So the next time you gear up and climb with 3M DBI-SALA, remember that there's no limit to how far we'll go to keep you safe.



For more information visit

3M.com.au/FallProtection

or call **1800 245 002 (AUS) 0800 212 505 (NZ)**



3M Fall Protection Business
Personal Safety Division

3M Australia Pty Ltd
Bldg A, 1 Rivett Road,
North Ryde, NSW 2113
TechAssist Helpline: 1800 024 464
Customer Services: 1300 363 565
Email: techassist@mmm.com
3M.com/au/ppesafety

3M New Zealand Limited
94 Apollo Drive, Rosedale,
Auckland 0632
TechAssist Helpline: 0800 364 357
Customer Services: 0800 252 627
www.3M.com/nz/ppesafety

