

PRODUCT CODE: PAF-0037  
PRODUCT NAME: CleanSpace™ High Capacity (HI CAP)  
Particulate P3 TM3 P SL R Filter



**Description** The CleanSpace High Capacity Particulate P3 TM3 P SL R is suitable for protection against airborne particulate (dust, mists and fumes).  
**IMPORTANT:** When selecting a CleanSpace Filter please consult a Health and Safety specialist for advice on the appropriate respiratory equipment and filter use.

**Approvals** *Compatible with ALL CleanSpace PAPR Power Units*  
**Standards** AS/NZS1716: 2012  
EN 12942  
**Classification** PAPR-P3

**Features**

- The CleanSpace High Capacity Particulate Filter must be used in conjunction with the CleanSpace Filter Adaptor (PAF-0038)
- Used with the revolutionary CleanSpace - A light weight PAPR with no hoses/belts
- Suitable for protection against airborne particulate (dust, mists and fumes).
- Materials: Fibreglass particulate media and plastic casing, silicone seal
- Easily fitted and removed from the Power Unit

**Specifications and materials**

- Weight: average: 100g Dimensions: 170mm x 40mm x 70mm
- Packaged Shelf life: 5 years from manufacturing date.
- Materials: Spun polymer fibres
- Storage and Use: -10°C to +55°C (-4°F to +131°F) at <90% relative humidity. Store away from direct sunlight, grease and oil.
- Only to be used with CleanSpace PAPR Power Units
- These filters are not water proof and should be replaced if in contact with water

**Suitable Applications** Mining, Welding, Manufacturing, Smelting, Construction, Recycling Plants, Emergency Services, Agriculture, Processing Plants, Grinding.  
Refer to Filter Selection Table for more details. <https://cleanspacetechnology.com/wp-content/uploads/2020/04/CleanSpace-Filter-Selection-Table-ROW.pdf>

**Training** Online training available with verification for compliance purposes.  
Contact [sales@cleanspacetechnology.com](mailto:sales@cleanspacetechnology.com)

**Limitations** CleanSpace respirators are air filtering, fan assisted positive pressure masks and designed to be worn in environments where there is sufficient oxygen to breathe safely. Do not use the CleanSpace in IDLH atmospheres, to protect against gases/vapours that cannot be filtered, or in Oxygen enriched or deficient atmospheres.