

PRODUCT CODE: PAF-0035 (3/Pk) & PAF-0059 (24/Pk)

PRODUCT NAME: CleanSpace™ P3 TM3 Particulate Filter P SL R



Description

The CleanSpace Particulate Filter P3 TM3 P SL R is suitable for protection against airborne particulates (dust, mists and fumes).

IMPORTANT: The filters are compatible with all CleanSpace PAPR Power Units. When selecting a CleanSpace Filter please consult a Health and Safety specialist for advice on the appropriate respiratory equipment and filter use.

Approvals

Compatible with ALL CleanSpace PAPR Power Units

Standards

AS/NZS1716: 2012
EN 12942

Classification

PAPR-P3

Features

- Used with the revolutionary CleanSpace PAPR: light weight, no hoses or belts
- Suitable for protection against airborne particulate (dust, mists and fumes).
- Materials: Fibreglass particulate media and plastic casing, silicone seal
- Easy and quickly fitted and removed from the power unit
- Pack of 3 (PAF-0035) or Pack of 24 (PAF-0059)

Specifications and materials

- Weight: average 21g. Dimensions: 120mm x 45mm x 45mm
- Packaged Shelf life: 5 years from manufacturing date.
- Materials: ABS frame, borosilicate microfiber; PC spun fibres, polyurethane foam (seal)
- Storage and Use: -10°C to +55°C (-4°F to +131°F) at <90% relative humidity. Store away from direct sunlight, grease and oil.
- Only to be used with CleanSpace PAPR power units
- These filters are not water proof and should be replaced if they come in contact with water.

Suitable Applications

Mining, Welding, Manufacturing, Smelting, Construction, Recycling Plants, Emergency Services, Agriculture, Processing Plants, Grinding.
Refer to Filter Selection Table for more details. <https://cleanspacetechnology.com/wp-content/uploads/2020/04/CleanSpace-Filter-Selection-Table-ROW.pdf>

Training

Online training available with verification for compliance purposes.
Contact sales@cleanspacetechnology.com

Limitations

CleanSpace respirators are air filtering, fan assisted positive pressure masks and designed to be worn in environments where there is sufficient oxygen to breathe safely. Do not use the CleanSpace in IDLH atmospheres, to protect against gases/vapours that cannot be filtered, or in Oxygen enriched or deficient atmospheres.