

PRODUCT CODE: PAF-0036

PRODUCT NAME: CleanSpace Pre-Filter for Standard Particulate Filter (10/Pk)



Description

The CleanSpace Pre-Filter is suitable for use with the CleanSpace Standard Particulate P3 TM3 P SL R Filter for protection against airborne particulate (dust, mists and fumes). The Pre-Filter is designed to remove coarse particles and enhance the life of the Particulate P3 filter. The Pre-Filter should be changed after each use.

IMPORTANT: When selecting a CleanSpace Filter please consult a Health and Safety specialist for advice on the appropriate respiratory equipment and filter use.

Approvals

Compatible with ALL CleanSpace PAPR Power Units

Standards

AS/NZS1716: 2012
EN 12942

Classification

PAPR-P3

Features

- Used with the revolutionary CleanSpace - A light weight PAPR with no hoses/belts
- Materials: Spun polymer fibres
- Easy and quickly fitted and removed from the power unit
- Sold in Pack of 10 pre-filters
- Compatible with all CleanSpace Respirators

Specifications and materials

- Weight: average: 50g Dimensions: 170mm x 40mm x 70mm
- Packaged Shelf life: 5 years from manufacturing date.
- Materials: Spun polymer fibres
- Storage and Use: -10°C to +55°C (-4°F to +131°F) at <90% relative humidity. Store away from direct sunlight, grease and oil
- Only to be used with CleanSpace Filters
- These filters are not water proof and should be replaced if in contact with water.

Suitable Applications

Mining, Welding, Manufacturing, Smelting, Construction, Recycling Plants, Emergency Services, Agriculture, Processing Plants, Grinding.

Refer to Filter Selection Table for more details. <https://cleanspacetechnology.com/wp-content/uploads/2020/04/CleanSpace-Filter-Selection-Table-ROW.pdf>

Training

Online training available with verification for compliance purposes.
Contact sales@cleanspacetechnology.com

Limitations

CleanSpace respirators are air filtering, fan assisted positive pressure masks and designed to be worn in environments where there is sufficient oxygen to breathe safely. Do not use the CleanSpace in IDLH atmospheres, to protect against gases/vapours that cannot be filtered, or in Oxygen enriched or deficient atmospheres.